

**AUTOLAND<sup>®</sup>**

S C I E N T E C H

**Installing the Bluetooth  
adapter and Pairing your  
scanner**

# Before you begin

The iScanII-wt can be controlled and recorded using PC Scanner

- For a detailed guide please review 'PC Scanner: How to'

Please install Autoland Utility first. PC Scanner works in conjunction with CRM

- For a detailed guide, please review 'Autoland Utility Setup Instructions'

If the computer has built-in Bluetooth please use the default software to pair with your scanner.

- You may be prompted for a PIN, use '5191'


Windows can manage the bluetooth connection for most generic adapters

- For details, please view the details found after the summary


# Set PC-Link to Bluetooth



Turn on scanner in car. From main menu choose '100 Setup'



Select '2 PC-Link' and press ENTER




Select '2 PC-Link ON via Bluetooth' and press ENTER




Make sure you see the 'PC-Link ON via Bluetooth!' message Press ENTER to confirm


# Download Installer



Visit  
[www.autolandsciencetechusa.com](http://www.autolandsciencetechusa.com)



Click on Tech Support tab, and scroll down to the Download section




Select Bluetooth Adapter Installation




Download the .zip file then choose 'Show in Folder'


# For Internet Explorer Users



Click on the download link, then choose 'Save' at the bottom of the page.




Choose 'Open Folder'




Locate Bluetooth\_Setup, which appears as a zipped file “**WinRar Zip**” (Note: In case you don’t have a program to unzip files, Click this Link to view our YouTube video for guidance on how to get this program.

(<http://www.youtube.com/watch?v=sUwrGd1nV4U>)


# Extract Files



Right click and select  
'Extract Here'



Open Bluetooth folder




Scroll down and double  
click on setup.exe


# Run Setup Wizard




Select desired language and then click 'OK'




Click 'Next'




Read end user agreement and agree when ready



Click 'Next'



Click 'Install'



Wait for installation to complete and click 'Finish'


# Enable / Launch Bluetooth




On desktop screen locate BlueSoleil shortcut and double click



Connect USB Bluetooth adapter to USB port on computer




After connecting USB Bluetooth adapter, click on the orange Sun




Automatically the welcome message will appear and you will click ok

# Search for devices




**Click on the orange sun to search for your Autoland Scanner**




**Your Autoland scanner should appear like this.**

**\*\*\* Other wireless devices may appear, make sure you select the device as shown on image which has a question mark symbol)**


# Pair device




**Right click on scanner and select Pair Device**



**Enter passkey: 5191**



**A Red Check mark will confirm pairing was successful**




**Double click on the device to assign the scanner a COM port**

# Summary


1. Complete the Bluetooth Adapter Installation from CD or Download.
2. Connect your USB Bluetooth adapter to computer and launch BlueSoleil
3. On your scanner enable Bluetooth using the following menu options.  
/100.Setup /5.PC-Link / 2.PC-Link ON via Bluetooth /'Enter' to confirm
4. On Bluetooth program click on Orange Sun and search for scanner and right click to pair to enter passkey: 5191
5. Pairing is successful on seeing red check mark next to scanner description.
6. To assign your device a COM port click on the Serial Icon, or double click the scanner. Once the device appears in Green you can use the Serial option in PC Scanner

**\*\* If you are still experiencing issues: Take a screenshot of the error message and contact Autoland Scientech USA, Inc. at (512)336-5152**


# 'Add a Bluetooth device' Using Windows




Click 'Enter the device's pairing code' to begin



Select 'AUTOLAND' from device list and click 'Next'



Enter '5191' when prompted for Pairing Code



Pairing Successful; Click 'Close' to continue